


AGE AND HIV IN MARYLAND, 2014

AUGUST 2016


New HIV Diagnoses

| Rate per 100,000 | |
|------------------|------|
| <13 | 0.5 |
| 13-19 | 7.8 |
| 20-24 | 48.2 |
| 25-29 | 48.6 |
| 30-34 | 39.6 |
| 35-39 | 38.4 |
| 40-44 | 34.5 |
| 45-49 | 25.8 |
| 50-54 | 23.1 |
| 55-59 | 16.2 |
| 60-64 | 10.4 |
| 65-70 | 5.7 |
| 70-74 | 3.1 |
| 75+ | 2.0 |



- Over half (57.0%) of new HIV diagnoses are among adults ages 20-39, and the highest rate is among 25-29 year olds (48.6 per 100,000 population).
- The proportion of new diagnoses that were among adults ages 20-29 has increased, almost doubling from 18.6% in 2005 to 32.3% in 2014.

Characteristics of Living HIV Cases



| Rate per | 100,000 |
|----------|---------|
| <13 | 7.5 |
| 13-19 | 40.4 |
| 20-24 | 261.7 |
| 25-29 | 502.5 |
| 30-34 | 593.2 |
| 35-39 | 720.0 |
| 40-44 | 869.6 |
| 45-49 | 1,151.6 |
| 50-54 | 1,215.9 |
| 55-59 | 995.5 |
| 60-64 | 707.0 |
| 65-70 | 442.7 |
| 70-74 | 178.6 |
| | |

- Over half (58.1%) of all Maryland individuals living with HIV (with or without AIDS) are currently 40-59 years old, and the highest HIV case rates are among 50-54 year olds (1,215.9 per 100,000 population).
- The average age of individuals living with HIV (with or without AIDS) in Maryland is 46.